

Cost Action 255

**Radiowave Propagation Modelling
for SatCom Services
at Ku-Band and Above**

Final Report



Short Title: **Cost 255 Final Report**

Published by: ESA Publications Division
Postbus 299
2200 AG Noordwijk
The Netherlands

Coordinator: A. Martellucci

Editor: R.A. Harris

ISSN: 0379-6566

ISBN : 92-9092-608-2

Copyright: © European Space Agency 2002

Printed in: The Netherlands

Contents

PART 1

Chapter 1.1: Executive Summary

1.1.1	Introduction.....	2
1.1.2	Activity report.....	2
1.1.2.1	Background.....	2
1.1.2.2	Participants.....	4
1.1.2.3	Management Committee.....	5
1.1.2.4	Working method.....	6
1.1.3	Dissemination of Results.....	8
1.1.3.1	Conferences and Workshops.....	8
1.1.3.2	Web site.....	8
1.1.3.3	Transfer of results.....	9
1.1.3.4	The Final Report.....	9
1.1.4	Concluding remarks.....	10

PART 2

Fixed Propagation Modelling

Chapter 2.1: Propagation Effects Due to Atmospheric Gases and Clouds

2.1.1	Gaseous Attenuation.....	2
2.1.1.1	Liebe's Model of air refractivity and specific attenuation.....	2
2.1.1.2	Salonen's model of oxygen attenuation.....	11
2.1.1.3	Salonen's model of water vapour attenuation.....	12
2.1.1.4	ITU-R model of oxygen attenuation.....	14
2.1.1.5	ITU-R model of water vapour attenuation.....	15
2.1.1.6	Correction for low elevation angles.....	17
2.1.2	Cloud Attenuation.....	18
2.1.2.1	Rayleigh model for cloud radio refractivity.....	18
2.1.2.2	Salonen and Uppala Model for cloud attenuation statistics.....	22
2.1.2.3	Dissanayake, Allnutt and Haidara model for cloud attenuation statistics.....	23
2.1.3	Frequency Scaling of Gas and Cloud Attenuation.....	24
2.1.4	Atmospheric Noise Temperature.....	25
2.1.4.1	Atmospheric Noise Temperature in absence of scattering.....	26
2.1.4.2	Atmospheric Noise Temperature in presence of scattering.....	27
2.1.5	Atmospheric Path Delay.....	29
2.1.6	Comparison Of Models With Experimental Data.....	30
2.1.6.1	Total gaseous attenuation and radiometric measurements.....	30
2.1.6.2	Sky noise temperature and radiometric measurements.....	33
2.1.6.3	Excess path length and radiometric measurements.....	34
2.1.7	References.....	36
2.1.8	Annex to Chapter 2.1: Gas and Clouds Propagation Data Available on CD-ROM.....	39

Chapter 2.2: Rain Attenuation

2.2.1	Models of Rain Attenuation Statistics	2
2.2.1.1	Improved Assis-Einloft model	2
2.2.1.2	Australian model.....	4
2.2.1.3	Brazil model.....	6
2.2.1.4	Bryant model.....	7
2.2.1.5	Crane Global model.....	7
2.2.1.6	Crane Two-Component model.....	9
2.2.1.7	Excell model	11
2.2.1.8	Garcia model.....	13
2.2.1.9	ITU-R Rec. 618-5 model.....	14
2.2.1.10	ITU-R Rec. 618-6 model.....	15
2.2.1.11	Karasawa model.....	16
2.2.1.12	Leitao-Watson showery model.....	17
2.2.1.13	Matricciani model.....	20
2.2.1.14	Misme Waldteufel model	21
2.2.1.15	SAM model.....	24
2.2.1.16	Svjatogor model.....	25
2.2.2	Modelling of Frequency Scaling.....	26
2.2.2.1	Long-Term Frequency Scaling.....	27
2.2.2.2	Instantaneous Frequency Scaling.....	29
2.2.3	Fade Duration	34
2.2.3.1	Background.....	34
2.2.3.2	Fade Duration Modelling	35
2.2.4	Attenuation due to the Melting Layer	39
2.2.4.1	The Melting Layer.....	39
2.2.4.2	Thermodynamics of the melting process.....	40
2.2.4.3	Modelling the particle population in the melting layer	41
2.2.4.4	The electromagnetic model of the melting layer	42
2.2.5	Assessment of K - α Parameters in the K and V Frequency Bands.....	45
2.2.6	Estimation of Rain Attenuation Using Spaceborne Radiometers	50
2.2.6.1	Retrieving rainfall and attenuation by spaceborne microwave radiometry	51
2.2.6.2	Analysis of a case study	52
2.2.7	References.....	55
2.2.8	Annex to Chapter 2.2 Misme-Waldteufel Model:.....	62

Chapter 2.3: Scintillation/Dynamics of the Signal

2.3.1	Prediction models for long term standard deviation.....	2
2.3.1.1	Karasawa and ITU-R models	2
2.3.1.2	Otung model.....	4
2.3.1.3	Ortgies models	4
2.3.1.4	Marzano MPSP and DPSP models	5
2.3.1.5	Van de Kamp Model.....	5
2.3.1.6	Frequency dependence of scintillation variance.....	6
2.3.2	Prediction model for cumulative distribution of the log-amplitude and the variance of scintillation	7
2.3.2.1	Karasawa and ITU-R models	7
2.3.2.2	Otung Model.....	8
2.3.2.3	Ortgies Model	8
2.3.2.4	Van de Kamp Model.....	8
2.3.2.5	UCL method.....	9

Chapter 2.4: Rain and Ice Depolarisation

2.4.1	Definition of the atmospheric transmission matrix	2
2.4.2	Model of the transfer matrix.....	5
2.4.2.1	Fully aligned particles	7
2.4.2.2	Particles with Gaussian distribution of orientations.....	7
2.4.2.3	Medium composed of two different types of particle	7
2.4.2.4	Theoretical calculation of depolarisation due to rain and ice.....	11
2.4.3	Models of the XPD-CPA relationship in the Ku-, Ka- and V-Bands	17
2.4.3.1	The ITU-R Model for Ka-Band and its extension to V-Band.....	18
2.4.3.2	Model of Fukuchi	19
2.4.3.3	Dissanayake, Haworth, Watson analytical model	20
2.4.3.4	Other models of the XPD-CPA relationship due to rain.....	21
2.4.4	The effect of depolarisation on radio communication systems.....	23
2.4.5	References.....	26
2.4.6	Appendix to Chapter 2.4: Description of Polarisation	29
2.4.6.1	Complete description of the electric field.....	29
2.4.6.2	Reduced Parameters of the Electric Field.....	29
2.4.6.3	Ellipse of polarisation.....	30
2.4.6.4	Stokes' Parameters	30
2.4.6.5	Complex Polarisation Factor.....	31
2.4.6.6	Complex canting angle of the polarisation ellipse.....	31

Chapter 2.5: Combination of Different Attenuation Effects

2.5.1	Introduction.....	2
2.5.2	Statistical tools for combination of phenomena	2
2.5.2.1	Equiprobability summing	2
2.5.2.2	Convolution method	2
2.5.2.3	Disjoint summing.....	3
2.5.2.4	Disjoint summing of monthly distributions	3
2.5.2.5	Root-sum-square addition	3
2.5.2.6	Coherent summing.....	3
2.5.3	Studies of dependencies of different attenuation phenomena.....	4
2.5.3.1	Water vapour and oxygen attenuation	4
2.5.3.2	Attenuation due to clouds and gases.....	4
2.5.3.3	Rain attenuation and other attenuation phenomena.....	7
2.5.3.4	Scintillation fading and other attenuation phenomena	10
2.5.4	DAH Model	11
2.5.5	Pozhidayev-Dintelmann Model.....	12
2.5.6	ITU-R method.....	15
2.5.7	Castanet-Lemorton method	15
2.5.8	Salonen method.....	16
2.5.9	References.....	18

Chapter 2.6: Testing of Prediction Models

2.6.1	Yearly rain attenuation exceedance probability	2
2.6.1.1	Rain attenuation prediction models.....	3
2.6.1.2	Experimental data used for the test.....	3
2.6.1.3	Test activity: results.....	4
2.6.1.4	Conclusions.....	5
2.6.2	Worst month rain attenuation exceedance	7
2.6.2.1	Worst month prediction models	7
2.6.2.2	Experimental data used for the test.....	7
2.6.2.3	Test activity: results.....	7
2.6.2.4	Conclusions.....	8
2.6.3	Total attenuation	8
2.6.3.1	Total attenuation prediction models.....	8
2.6.3.2	Experimental data used for the test.....	8
2.6.3.3	Test activity: results.....	9
2.6.3.4	Conclusions.....	10
2.6.4	Site diversity gain models	10
2.6.4.1	Site diversity gain prediction models.....	10
2.6.4.2	Database used for the test.....	11
2.6.4.3	Test activity: results.....	11
2.6.4.4	Conclusion	14
2.6.5	Testing of fade duration models.....	15
2.6.5.1	Fade duration prediction models.....	15
2.6.5.2	Database used for the test.....	15
2.6.5.3	Test activity: results.....	15
2.6.5.4	Conclusion	15
2.6.6	Scintillation	16
2.6.6.1	Scintillation prediction models.....	16
2.6.6.2	Experimental data used for the test.....	17
2.6.6.3	Test activity: results.....	17
2.6.7	Testing of XPD-CPA Models at Ka and V Bands.....	20
2.6.8	References.....	24
2.6.9	Appendix to Chapter 2.6: Database used for the test of rain attenuation models	28

PART 3
Climatic Parameters and Mapping

Chapter 3.1: Clear air (Refractivity part)

3.1.1	Characteristics of refractivity of the upper air	2
3.1.1.1	Refractive index of the atmosphere.....	3
3.1.1.2	Worldwide refractivity studies	4
3.1.1.3	Measurements of Refractivity	5
3.1.2	Numerical models of upper air refractivity.....	22
3.1.3	Vertical refractivity profiles derived by using a 3-D objective analysis technique	23
3.1.3.1	Input Data.....	23
3.1.3.2	The method of 3-D Objective Analysis	23
3.1.3.3	Results and considerations	24
3.1.4	Clear air parameters.....	26
3.1.4.1	Refractivity gradients	26
3.1.4.2	Ducts	27
3.1.4.3	Surface parameters.....	28
3.1.5	General refractivity mapping.....	29
3.1.5.1	Interpolation by Kriging.....	29
3.1.5.2	Interpolation by triangulation.....	35
3.1.5.3	Trend analysis.....	35
3.1.5.4	Neural modelling	36
3.1.5.5	Atlas	37
3.1.6	Application examples	37
3.1.7	References.....	38

Chapter 3.2 Precipitation, Clouds and Other Related Non-Refractive Parameters

3.2.1	Single Site Characterisation	2
3.2.1.1	The FUB/ESA propagation oriented meteorological database	2
3.2.1.2	Analysis of Rainfall Rates in Spain	11
3.2.1.3	Analysis of Rainfall Rates in the Czech Republic.....	22
3.2.2	Global Characterisation - Mapping of Precipitation	34
3.2.2.1	Approaches	34
3.2.2.2	Global precipitation data sources	35
3.2.2.3	Rain Rate climatological models	37
3.2.3	Models of Monthly Distributions.....	45
3.2.3.1	Monthly distribution of the water vapour	45
3.2.3.2	Monthly distribution of cloud liquid content.....	47
3.2.3.3	Monthly Distributions of the Rainfall Rate	49
3.2	References.....	52

PART 4
Terrain and Clutter Effects. Mobile Modelling

Chapter 4.1: Overview of Mobile Modelling Propagation

4.1.1	Introduction.....	2
4.1.2	Modelling requirements and different approaches.....	2
4.1.3	Outcome of COST 255 mobile activities.....	3
4.1.4	Conclusions.....	4

Chapter 4.2: Data and Databases for land mobile satellite propagation

4.2.1	Description of the Propagation Scenario	2
4.2.1.1	Data Content	2
4.2.1.2	Deterministic Data.....	3
4.2.1.3	Statistical Data.....	8
4.2.2	Material and Land Use Parameters for Physical Propagation Models	9
4.2.2.1	Permittivity	10
4.2.2.2	Permeability.....	12
4.2.2.3	Surface Roughness Parameters	12
4.2.2.4	Mean Layer Height.....	13
4.2.3	Parameters for Empirical Propagation Models.....	13
4.2.3.1	Attenuation in Vegetation.....	13
4.2.3.2	Building Penetration.....	14
4.2.3.3	Empirical Scattering Models.....	16
4.2.4	Acknowledgements.....	17
4.2.5	References.....	18

Chapter 4.3: Data and Databases for Land Mobile Satellite Propagation

4.3.1	Three-State Approach.....	2
4.3.1.1	Model Basics.....	4
4.3.1.2	Model Elements	5
4.3.1.3	Model Outputs	12
4.3.1.4	Model Implementation Issues	18
4.3.1.5	Model Parameters	20
4.3.2	Two-State Approach.....	22
4.3.2.1	Experimental Set-Up	22
4.3.2.2	Routes Descriptions.....	23
4.3.2.3	Statistical Analysis	23
4.3.2.4	Discussion	26
4.3.3	References.....	29

Chapter 4.4: Physical Statistical Modelling of the LMS channel

4.4.1	Input Parameters	4
4.4.1.1	Building Height Distribution	4
4.4.1.2	Street width statistics	5
4.4.2	Time Share of Shadowing Model	6
4.4.3	Time Series Model.....	7
4.4.4	Ray-tracing Based Model	10
4.4.4.1	Physical-statistical approach	10
4.4.4.2	Built-up areas	12
4.4.4.3	Open areas.....	14
4.4.4.4	Inference of Rician parameters	14
4.4.4.5	Distributions of physical parameters.....	14
4.4.4.6	Distribution of azimuth angle.....	14
4.4.4.7	Simulation results and comparison with experimental data.....	15
4.4.5	Conclusion	17
4.4.6	Acknowledgements.....	17
4.4.7	References.....	18

Chapter 4.5: Shadowing Correlation for Multi-Satellite Diversity

4.5.1	Overview of Other Satellite Diversity Studies	2
4.5.2	COST 255: New approaches for correlation quantification.....	4
4.5.2.1	Physical-Statistical Approach	6
4.5.2.2	Semi-deterministic Approach.....	7
4.5.3	Simulations	9
4.5.3.1	Variability of the Correlation Coefficient.....	10
4.5.4	Conclusions.....	12
4.5.5	References.....	14
4.5.6	Appendix to Chapter 4.5: Correlation Modelling Using a Physical Statistical Approach.....	16

Chapter 4.6: Deterministic Modelling and Acceleration Techniques for Ray-Path Searching in Urban and Suburban Environments

4.6.1	Deterministic modelling of propagation phenomena	2
4.6.1.1	Integral equation	2
4.6.1.2	Differential equations	3
4.6.1.3	Asymptotic methods	3
4.6.2	Review of ray-tracing techniques.....	3
4.6.2.1	Ray-launching.....	4
4.6.2.2	Ray-path search.....	4
4.6.3	Environment and propagation model.....	5
4.6.3.1	1/2D environment.....	5
4.6.3.2	Propagation model.....	6
4.6.3.3	Ray-paths	6
4.6.4	Calculating interactions.....	8
4.6.4.1	Simple interactions	8
4.6.4.2	Multiple interactions.....	9
4.6.4.3	Reflections on the ground and on the ceiling	12
4.6.4.4	Mixed interactions	13
4.6.4.5	Directional paths.....	13
4.6.5	2D Ray-path search algorithm.....	13
4.6.5.1	2D Visible areas.....	14
4.6.5.2	2D Polar sweep algorithm.....	14
4.6.5.3	2D Visibility graph.....	16
4.6.5.4	Speeding-up the 2D polar sweep algorithm.....	18
4.6.6	Ray-tracing algorithm.....	19
4.6.7	3D Ray-path search algorithm.....	19
4.6.7.1	Visible areas.....	19
4.6.7.2	3D Polar sweep algorithm	20
4.6.7.3	Visibility graph	24
4.6.7.4	Speeding-up the 3D polar sweep algorithm.....	24
4.6.8	Summary of the ray-path search algorithm.....	25
4.6.9	Extension of the environment and further interactions	26
4.6.9.1	Complex building blocks.....	27
4.6.9.2	Scattering and attenuating objects.....	27
4.6.9.3	Additional interactions	28
4.6.9.4	Diffraction on horizontal edges.....	28
4.6.10	Specific optimisation	29
4.6.11	Example of software package	30
4.6.12	Conclusions.....	30
4.6.13	References.....	31

Chapter 4.7: Antenna effects in Land Mobile Satellite Systems

4.7.1	Antenna gain in handheld terminals.....	2
4.7.1.1	Average received power	3
4.7.2	Polarisation effects.....	7
4.7.2.1	Distribution of the polarisation loss	9
4.7.2.2	Error probability with (and without) polarisation diversity in a diffuse fading channel.....	10
4.7.2.3	Measurements of gain and polarisation	11
4.7.2.4	Conclusions of the analysis of polarisation effects	11
4.7.3	Effect of antenna pattern on the radio channel	12
4.7.3.1	Scattering functions	12
4.7.3.2	Spatial distribution of scatters.	13
4.7.4	Assessment of antenna noise temperature for handheld terminals	14
4.7.5	References.....	20
4.7.6	Appendix 1 to Chapter 4.7: Stokes Matrix of a polarisation filter.....	21
4.7.7	Appendix 2 to Chapter 4.7: Loss distribution with random polarisation.....	22

PART 5

Systems and Simulation Issues

Chapter 5.1: Service Requirements and Performance Criteria

5.1.1	Generic Service Classifications.....	2
5.1.2	System Requirements	2
5.1.2.1	VSATs.....	2
5.1.2.2	DVB-based Multimedia System at the Ku-Band	7
5.1.2.3	Multimedia GSO/NGSO Configurations.....	8
5.1.2.4	Future Geostationary Ka/Ka-Band Consumer Systems	8
5.1.2.5	Particular Considerations for Non-Geostationary Systems.....	9
5.1.3	Performance Objectives and Evaluation.....	9
5.1.4	Quality and Availability in Mobile Satellite Systems	11
5.1.5	Systems Architectures and Communications Technologies	12
5.1.5.1	Systems Convergence.....	12
5.1.5.2	Frequency Bands	12
5.1.5.3	Orbits, Radio Paths and Terminals.....	12
5.1.5.4	Payload Technology	13
5.1.5.5	Transponder Utilisation, Access and Modulation	13
5.1.5.6	Rationale for Test Cases.....	14
5.1.6	References.....	16
5.1.7	Bibliography	16

Chapter 5.2: Propagation Impairments and Impact on System Design

5.2.1	Propagation Impairments.....	2
5.2.2	Impact of Atmospheric Attenuation on System Design.....	2
5.2.2.1	Earth Station, Recording, and Evaluation Data Base.....	3
5.2.2.2	Cumulative Distribution of Attenuation.....	5
5.2.2.3	Fade Duration.....	8
5.2.2.4	Probability of Outage.....	9
5.2.2.5	Fade Slope and 3dB Time Duration.....	11
5.2.3	Influence of Phase Noise and Sky Noise Temperature; Constraints for Future Portable (Laptop) VSATs.....	13
5.2.3.1	Carrier Acquisition in the Presence of Propagation Phase Noise and Thermal Noise.....	13
5.2.4	Conclusions.....	15
5.2.5	References.....	17

Chapter 5.3: Impairment Mitigation and Performance Restoration

5.3.1	FMT: state-of-the-art report.....	2
5.3.1.1	Presentation of FMT.....	3
5.3.1.2	Description of the main fade mitigation methods.....	3
5.3.1.3	Operational considerations.....	11
5.3.1.4	Conclusion of the review.....	15
5.3.2	COST 255 developments.....	16
5.3.2.1	Simulation and performance evaluation of FMT Systems.....	16
5.3.2.2	Problem of impairment detection.....	17
5.3.2.3	Predictive control.....	23
5.3.3	Conclusion.....	24
5.3.4	References.....	26
5.3.5	List of acronyms.....	30

PART 6
Test Cases Involving Fixed Satellite Links

Chapter 6.1: Ku-Band VSAT Asymmetrical Data Communication System

6.1.1	Overview	2
6.1.1.1	System Description.....	2
6.1.1.2	Performance Evaluation and Simulation	3
6.1.2	System Specification and Link Power Budgets.....	3
6.1.2.1	General Information	4
6.1.2.2	Outbound Link Analysis (Hub to VSAT).....	5
6.1.2.3	Inbound Link Analysis (VSAT to Hub).....	6
6.1.2.4	Notes on Link Budget Calculations	7
6.1.3	Long Term Link Performance Statistics.....	7
6.1.3.1	Evaluation Approach	7
6.1.3.2	Results	9
6.1.3.3	Discussion	12
6.1.4	Time Series Simulations.....	13
6.1.4.1	Simulation Approach.....	13
6.1.4.2	Simulation Model	13
6.1.4.3	Simulation Results.....	14
6.1.4.4	Discussion	15
6.1.5	Conclusions and Additional Considerations.....	16
6.1.6	Acknowledgements.....	18
6.1.7	References.....	19

Chapter 6.2: Ka-Band Videoconference VSAT system

6.2.1	System definition	2
6.2.1.1	System requirements.....	2
6.2.1.2	Link budget set up	4
6.2.2	Time series simulation.....	7
6.2.2.1	System simulation without FMT.....	7
6.2.2.2	Implementation of FMTs.....	9
6.2.2.3	System simulation with FMT	11
6.2.2.4	Event-based analysis.....	15
6.2.2.5	Conclusion for the time series analysis.....	16
6.2.3	Link performance prediction.....	16
6.2.3.1	Conventional approach.....	16
6.2.3.2	Prediction of service availability.....	19
6.2.3.3	Duration of events.....	23
6.2.3.4	Conclusion for the prediction analysis.....	26
6.2.4	Conclusion	26
6.2.5	References.....	28

Chapter 6.3: V-Band VSAT Asymmetrical Data Communication System

6.3.1	Architecture.....	2
6.3.2	Number of Users.....	2
6.3.2.1	Low-bit rate return path.....	2
6.3.2.2	IP-type applications.....	2
6.3.3	Link and Service Availabilities.....	2
6.3.4	System Description.....	3
6.3.4.1	Outbound Link.....	3
6.3.4.2	Inbound Link.....	3
6.3.4.3	Modulation and Coding.....	3
6.3.5	Link Performance Analysis.....	4
6.3.6	Outbound Link Analysis (Hub to VSAT).....	6
6.3.7	Inbound Link Analysis (VSAT to Hub).....	7
6.3.8	Discussion and Conclusions.....	8
6.3.9	References.....	9

Chapter 6.4: Ka-band IRIDIUM Feeder Link

6.4.1	System Description.....	2
6.4.1.1	Overview.....	2
6.4.1.2	Geographical Considerations and Orbital Constellation.....	4
6.4.1.3	Link Parameters (Common to Satellite and Gateway).....	4
6.4.1.4	Satellite.....	5
6.4.1.5	Gateway.....	5
6.4.2	Link budgets.....	6
6.4.3	Approach to the study.....	7
6.4.3.1	Elevation and time percentage dependency of impairment.....	7
6.4.3.2	Generation of elevation time series and statistics.....	7
6.4.4	Propagation influence on air interface performance.....	8
6.4.4.1	Selection of propagation models.....	8
6.4.4.2	Statistical simulation results.....	9
6.4.5	Conclusion.....	13
6.4.6	Acknowledgements.....	13
6.4.7	References.....	14

PART 7
Test Cases Involving Mobile Links

Chapter 7.1: Simulation Approach

7.1.1	Approach.....	2
7.1.2	Link Simulation	3
7.1.2.1	Analytical Bounds on coded BER.....	4
7.1.2.2	Link-Level Simulation.....	5
7.1.3	System-Level Simulation	8
7.1.4.1	Time series simulation and evaluation of performance.....	8
7.1.4	References.....	10

Chapter 7.2: LEO 66 Mobile Link

7.2.1	System Parameters.....	3
7.2.2	Simulations in Non-Urban Areas based on a 3D Ray Tracing Channel Model	8
7.2.2.1	The Propagation Model	8
7.2.2.2	Signalling Delay	9
7.2.2.3	Power Control (PC)	9
7.2.2.4	Handover Modelling.....	9
7.2.2.5	Satellite Diversity Modelling	9
7.2.2.6	Polarisation Diversity Modelling.....	10
7.2.2.7	The Operational Scenario	10
7.2.2.8	System simulation Parameters	12
7.2.2.9	Simulations using Satellite Elevation Statistics.....	12
7.2.2.10	Simulations using an Orbit Generator.....	17
7.2.2.11	Conclusions of the simulation based on a 3D Ray Tracing Channel Model.....	18
7.2.3	Simulations in built-up areas based on physical-statistical ray-tracing.....	19
7.2.3.1	Simulation results	19
7.2.3.2	Conclusion	22
7.2.4	Simulations in Urban and Suburban Areas based on a Wideband Markov Channel (WMC).....	23
	propagation model	
7.2.4.1	The Propagation Model.....	24
7.2.4.2	Power Control: Theoretical aspects	24
7.2.4.3	Power Control: Simulations	25
7.2.4.4	Link and system level interface.....	29
7.2.4.5	System Level Simulations	31
7.2.5	Acknowledgements.....	32
7.2.6	References.....	33

Chapter 7.3: Satellite IMT-2000 Mobile Link

7.3.1	Orbital Constellation.....	2
7.3.2	Link Parameters (Common to Satellite and Mobile Terminal).....	2
7.3.3	Simulations in Non-Urban Areas based on a 3D Ray Tracing Channel Model	3
7.3.3.1	Simulations using Satellite Elevation Statistics.....	3
7.3.3.2	Simulations using an Orbit Generator.....	7
7.3.3.3	Conclusions of the simulation based on a 3D Ray Tracing Channel Model.....	10
7.3.4	Simulations in built-up areas based on a physical-statistical ray-tracing	11
7.3.4.1	Simulation results for a pedestrian speed.....	11
7.3.4.2	Simulation results for high-speed scenarios	13
7.3.5	Simulations in Urban and Suburban Areas based on a Wideband Markov Channel (WMC)	14
	propagation model	14
7.3.5.1	Power Control: Simulations	15
7.3.5.2	Rake Receiver: Theoretical aspects	22
7.3.5.3	Rake Receiver: Simulations	22
7.3.5.4	Link and system level interface.....	25
7.3.5.5	System Level Simulations	28
7.3.6	Acknowledgements.....	28
7.3.7	References.....	29